

Item No.	RRP €	Item No.	RRP €
ROTARY TRUMPET		DOUBLE FRENCH HORNS	
B♭ Trumpet LTR 745 – PREMIUM –		F/B♭ Double Horns LHR 340 – SONOR –	
3 rotary valves, bell ø 140 mm, bore ø 11.7 mm, minibal joints, trigger on 3 rd slide, nickel silver slides, case.		Compensating model, 4 rotary valves, bell ø 300 mm (11.8"), bore ø 11.7 mm (.5"), minibal joints, nickel silver slides, case.	
515 100	Lacquered yellow brass 1.850,00	515 400	Lacquered yellow brass 3.170,00
515 105	Lacquered gold brass 1.926,00	515 402	Lacquered yellow brass, bell detachable 3.261,00
FLUGELHORNS		F/B♭ Double Horns LHR 860 – FILHARMONIK –	
B♭ Flugelhorn LFH 733 – SUPER –		4 rotary valves, bell ø 300 mm (11.8"), bore ø 11,7 mm (.5"), minibal joints, nickel silver slides, case.	
3 rotary valves, bell ø 135 mm, bore ø 11.7 mm, minibal joints, trigger on 3 rd slide, nickel silver slides, case.		515 430	Lacquered yellow brass 3.507,00
515 200	Lacquered yellow brass 2.166,00	515 435	Lacq. yellow brass, bell det. 3.608,00
515 205	Lacquered gold brass 2.181,00	515 440	Lacq. gold brass 3.574,00
B♭ Flugelhorn LFH 742 – SUPERTONE –		515 445	Lacq. gold brass, bell det. 3.675,00
3 rotary valves, bell ø 150 mm, bore ø 11.7 mm, minibal joints, trigger on 3 rd slide, nickel silver slides, case.		F/B♭ Double Horns LHR 880 – EXCELLENCE –	
515 210	Lacquered yellow brass 2.221,00	4 rotary valves, bell ø 310 mm (12.2"), bore ø 12.0 mm (.5"), minibal joints, nickel silver slides, adjustable pinkie hook, case.	
515 215	Lacquered gold brass 2.238,00	515 450	Lacquered yellow brass 5.118,00
FRENCH HORNS		515 455	Lacq. yellow brass, bell det. 5.464,00
F Horn LHR 316 – Student –		515 460	Lacquered gold brass 5.438,00
3 rotary valves, bell ø 280 mm (11.0"), bore ø 11.7 mm (.5"), minibal joints, nickel silver slides, flipper and adjustable finger hook, case.		515 465	Lacq. gold brass, bell detachable 5.784,00
515 305	Lacquered gold brass 2.830,00	515 470	Lacq. gold brass, light bell 0,45mm 6.557,00
B♭ Horn LHR 317 – Student –		515 475	Lacq. gold brass, bell detachable. Light bell 0.45mm 6.904,00
3 rotary valves, bell ø 280 mm (11.0"), bore ø 11.7 mm (.5"), minibal joints, nickel silver slides, flipper and adjustable finger hook, case.		F/B♭ Double Horns LHR 883 – Tribute –	
515 315	Lacquered gold brass 2.784,00	Model Ondřej Vrabec, 4 rotary valves, bell ø 310 mm (12.2"), bore ø 11.8/12.0 mm, slides 11.8 mm – gold brass, slides 12.0 mm – yellow brass (always complete sets), minibal joints, gold brass leadpipe, nickel silver slides, adjustable pinkie hook. With artfully soldered initials "JL", bell gold brass detachable, body yellow brass, case.	
F Single Horn LHR 321		515 500	Lacquered 7.425,00
3 rotary valves, bell ø 300 mm (11.8"), bore ø 11,7 mm (.5"), minibal joints, additional Eb-slide, nickel silver slides, case.		515 505	Unlacquered 7.425,00
515 340	Lacquered yellow brass 2.830,00	515 515	Brushed, lacquered 7.425,00
515 345	Lacquered gold brass 2.898,00	515 520	Brushed, unlacquered 7.425,00
515 346	Lacquered gold brass, bell detachable 3.011,00	F INVENTION HORN	
B♭ Single Horn LHR 331		F Invention Horn LHR 320	
4 rotary valves, A-stopping valve, bell 300 mm (11.8"), bore ø 11,7 mm (.5"), minibal joints, nickel silver slides, case.		Bell ø 300 mm, bore ø 11.7 mm.	
515 360	Lacquered gold brass 3.147,00	515 700	Unlacquered yellow brass 3.600,00
B♭ Single Horn LHR 335		Slides for F Invention Horn	
3 rotary valves, bell ø 300 mm (11.8"), bore ø 11,7 mm (.5"), minibal joints, nickel silver slides, case.		Slides for invention horn LHR 320, yellow brass unlacquered, nickel silver mouthpiece and tuning slide receiver.	
515 350	Lacquered yellow brass 2.784,00	515 710	C Alto 131,00
515 355	Lacquered gold brass 2.853,00	515 712	B♭ Tenor 168,00
515 356	Gold brass, with flipper 2.898,00	515 714	A Tenor 168,00
		515 716	G Tenor 173,00
		515 718	F Tenor 181,00
		515 720	E Tenor 184,00
		515 722	E♭ Tenor 184,00
		515 724	D Tenor 192,00
		515 726	C Basso 230,00
		515 728	B♭ Basso 163,00
		515 730	Half-tone 136,00



Item No. RRP €

PARFORCE HORNS

B♭ Parforce Horn LBG 282

Bell ø 300 mm, bore ø 11.7 mm, double loop, tuneable nickel silver lead-pipe, leather taping, case.

515 950 Lacquered yellow brass, double loop 755,00

515 955 Lacquered gold brass, double loop 808,00

E♭ Parforce Horn LBG 291

Bell ø 300 mm, bore ø 11.7 mm, double loop, tuneable nickel silver lead-pipe, leather taping, case.

515 960 Lacquered yellow brass, double loop 800,00

B♭/E♭ Parforce Horn LHR 312

1 rotary valve, bell ø 300 mm, bore ø 11.7 mm, single loop, tuneable nickel silver leadpipe, leather taping, case.

515 975 Lacquered yellow brass, double loop 215000 1.720,00

TENOR HORNS

B♭ Tenor Horn LTH 521-3

3 rotary valves, bell ø 240 mm, bore ø 13.2 mm, Minibal joints, nickel silver lead pipe, water key on tuning slide, nickel silver valve section and outer slides, gigbag.

516 050 Lacquered yellow brass 2.613,00

B♭ Tenor Horn LTH 521-4

4 rotary valves, bell ø 240 mm, bore ø 13.2 mm, Minibal joints, nickel silver lead pipe, water key on tuning slide, nickel silver valve section and outer slides, gigbag.

516 060 Lacquered yellow brass 3.027,00

B♭ Tenor Horn LTH 721-3R

3 rotary valves, bell ø 240 mm, bore ø 13.2 mm, Minibal joints, nickel silver lead pipe, water key on tuning slide, nickel silver valve section, outer slides and bell rim, gigbag.

516 070 Lacquered gold brass 2.904,00

B♭ Tenor Horn LTH 721-4R

4 rotary valves, bell ø 240 mm, bore ø 13.2 mm, Minibal joints, nickel silver lead pipe, water key on tuning slide, nickel silver valve section, outer slides and bell rim, gigbag.

516 080 Lacquered gold brass 3.328,00

B♭ Tenor Horn LTH 721-4GR – DELUXE LINE –

4 rotary valves, bell 240 mm, handmade from one piece, bore ø 13.2 mm, Minibal joints, gold brass lead pipe, trigger on 1st valve, water key on tuning slide, nickel silver valve section, outer slides and bell rim, handmade deluxe engraving, gigbag.

516 090 Lacquered gold brass 4.146,00

BARITONE HORNS

B♭ Baritone LEP 531-3

3 rotary valves, bell ø 260 mm, bore ø 15.2 mm, Minibal joints, nickel silver lead pipe, water key on tuning slide, nickel silver valve section and outer slides, gigbag.

516 100 Lacquered yellow brass 3.197,00

B♭ Baritone LEP 531-4

4 rotary valves, bell ø 260 mm, bore ø 15.2 mm, Minibal joints, nickel silver lead pipe, water key on tuning slide, nickel silver valve section and outer slides, gigbag.

516 110 Lacquered yellow brass 3.704,00

B♭ Baritone LEP 731-3R

3 rotary valves, bell ø 260 mm, bore ø 15.2 mm, Minibal joints, lacquered gold brass, nickel silver lead pipe, water key on tuning slide, nickel silver valve section, outer slides and bell rim, gigbag.

516 120 Lacquered gold brass 3.525,00

B♭ Baritone LEP731-4R

4 rotary valves, bell ø 260 mm, bore ø 15.2 mm, Minibal joints, lacquered gold brass, nickel silver lead pipe, water key on tuning slide, nickel silver valve section, outer slides and bell rim, gigbag.

516 130 Lacquered gold brass 4.048,00

B♭ Baritone LEP 731-4GR – DELUXE LINE –

4 rotary valves, bell ø 260 mm, handmade from one piece, bore ø 15.2 mm, Minibal joints, gold brass lead pipe, water key on tuning slide, nickel silver valve section, outer slides and bell rim, handmade deluxe engraving, gigbag.

516 140 Lacquered gold brass 5.080,00

516 141 Lacquered gold brass, trigger on main tuning slide 5.296,00

B♭ Baritone LEP 739-4R – PREMIUM –

4 rotary valves, 3rd and 4th valve built in upright direction, bell ø 260 mm, handmade from one piece, bore ø 15.2 mm, Minibal joints, silver nickel lead pipe, water key on tuning slide, silver nickel valve section, outer slides and bell rim, gigbag.

516 145 Lacquered gold brass 4.947,00

516 146 Lacquered gold brass, trigger on main tuning slide 5.902,00

B♭ Baritone LEP 536-4

4 rotary valves, bell ø 280 mm, bore ø 15.2 – 16.2 mm, Minibal joints, nickel silver lead pipe, water key on tuning slide, nickel silver valve section and outer slides, gigbag.

516 150 Lacquered yellow brass 4.096,00

B♭ Baritone LEP 736-4R

4 rotary valves, bell ø 280 mm, bore ø 15.2 – 16.2 mm, Minibal joints, lacquered gold brass, nickel silver lead pipe, water key tuning slide, nickel silver valve section, outer slides and bell rim, gigbag.

516 160 Lacquered gold brass 4.632,00

B♭ Baritone LEP 537-4

4 rotary valves, bell ø 300 mm, bore ø 15.2 – 16.2 mm, Minibal joints, nickel silver lead pipe, water key on tuning slide, valve section and outer slides, gigbag.

516 170 Lacquered yellow brass 4.141,00

B♭ Baritone LEP 737-4R

4 rotary valves, bell ø 300 mm, bore ø 15.2 – 16.2 mm, Minibal joints, nickel silver lead pipe, water key on tuning slide, nickel silver valve section, outer slides and bell rim, gigbag.

516 180 Lacquered gold brass 4.674,00

516 181 Lacquered gold brass, trigger on main tuning slide 5.406,00

Item No.	RRP €	Item No.	RRP €
Bb TUBAS			
Bb Tuba LBB 701 – Student –			
4 rotary valves, bell ø 400 mm (15.7"), bore ø 18,3 mm (.7"), Minibal joints, nickel silver lead pipe, nickel silver slides, gigbag.			
515 800	Lacquered yellow brass		6.176,00
Bb Tuba LBB 603-4			
Size $\frac{3}{4}$ L – compact construction, 4 rotary valves, bell ø 420 mm (16.5"), bore ø 21.2 mm (.835"), Minibal joints, trigger on 2 nd valve, water key on tuning slide, nickel silver lead pipe, nickel silver valves and outer slides, gigbag.			
516 210	Lacquered yellow brass		7.126,00
Bb Tuba LBB 603-4R			
Size $\frac{3}{4}$ L – compact construction, 4 rotary valves, bell ø 420 mm (16.5"), bore ø 21.2 mm (.835"), Minibal joints, trigger on 2 nd valve, water key on tuning slide, nickel silver lead pipe, nickel silver valves, outer slides + rim, gigbag.			
516 220	Lacquered yellow brass		7.326,00
Bb Tuba LBB 681-4			
Size $\frac{3}{4}$ L, 4 rotary valves, bell 400 mm (15.75"), bore 2.2 mm (.795"), minibal joints, nickel silver lead pipe, valves, outer slides, water key on tuning slides, gigbag.			
516 230	Lacquered yellow brass		6.563,00
Bb Tuba LBB 681-4R			
Size $\frac{3}{4}$ L, 4 rotary valves, bell ø 400 mm (15.75"), bore ø 2.2 mm (.795"), Minibal joints, nickel silver lead pipe, water key on tuning slide, nickel silver valves, outer slides and rim, gigbag.			
516 240	Lacquered yellow brass		6.848,00
Bb Tuba LBB 781-4R			
Size $\frac{3}{4}$ L, 4 rotary valves, bell ø 400 mm (15.75"), bore ø 2.2 mm (.795"), Minibal joints, nickel silver lead pipe, water key on tuning slide, nickel silver valves, outer slides and bell rim, gigbag.			
516 250	Lacquered gold brass		7.746,00
Bb Tuba LBB 682-4			
Size $\frac{3}{4}$ L, 4 rotary valves, bell ø 450 mm (17.7"), bore ø 2.2 mm (.795"), Minibal joints, lacquered yellow brass, nickel silver lead pipe, water key on tuning slide, nickel silver valves and outer slides, gigbag.			
516 260	Lacquered yellow brass		8.134,00
Bb Tuba LBB 682-5			
Size $\frac{3}{4}$ L, 5 rotary valves [4R+1L 5th valve left hand], bell ø 450 mm (17.7"), bore ø 2.2 mm (.795"), Minibal joints, lacquered yellow brass, nickel silver lead pipe, water key on tuning slide, nickel silver valves and outer slides, 2 exchangeable slides for the 5 th valve ($\frac{3}{4}$ tone and $1\frac{1}{4}$ tone length).			
516 270	Lacquered yellow brass		9.682,00
Bb Tuba LBB 683-4			
Size $\frac{3}{4}$ – compact construction, 4 rotary valves, bell ø 400 mm (15.75"), bore ø 2.2 mm (.795"), Minibal joints, lacquered yellow brass, nickel silver lead pipe, water key on tuning slide, nickel silver valves, outer slides, gigbag.			
516 280	Lacquered yellow brass		6.731,00
Bb Tuba LBB 683-4R			
Size $\frac{3}{4}$ – compact construction, 4 rotary valves, bell ø 400 mm (15.75"), bore ø 2.2 mm (.795"), Minibal joints, lacquered yellow brass, nickel silver lead pipe, water key on tuning slide, nickel silver valves, outer slides + bell rim, gigbag.			
516 290	Lacquered yellow brass		6.995,00
Bb Tuba LBB 783-4R			
Size $\frac{3}{4}$ – compact construction, 4 rotary valves, bell ø 400 mm (15.75"), bore ø 2.2 mm (.795"), Minibal joints, lacquered yellow brass, nickel silver lead pipe, water key on tuning slide, nickel silver valves, outer slides + bell rim, gigbag.			
516 300	Lacquered gold brass		7.922,00
Bb Tuba LBB 883-5Z			
Size $\frac{3}{4}$ – compact construction, 5 rotary valves, [4R+1L 5 th valve left hand], bell ø 400 mm (15.75"), bore ø 2.2 mm (.795"), Minibal joints, nickel silver lead pipe, trigger on 2 nd valve, water key on tuning slide, nickel silver valves, outer slides, 2 exchangeable slides for 5 th valve ($\frac{3}{4}$ tone + $1\frac{1}{4}$ tone length), gigbag.			
516 310	Lacq. yellow brass/gold brass bell		10.242,00
Bb Tuba LBB 684-4 – Moldau –			
Size $\frac{3}{4}$ L, 4 rotary valves. Bell ø 420 mm. Bore ø 21.2 mm. Minibal joints. Water key on tuning slide. Nickel silver valves. Nickel silver outer slides. Weight 8.3 kg.			
516 313	Lacquered yellow brass, Medium GM leadpipe		7.126,00
516 314	Lacquered yellow brass, Medium GM leadpipe, bell rim		7.496,00
516 315	Lacquered yellow brass, Large NS leadpipe		7.126,00
516 316	Lacquered yellow brass, Large NS leadpipe, bell rim		7.496,00
Bb Tuba LBB 784-4 – Moldau – Gold brass			
Size $\frac{3}{4}$ L, 4 rotary valves. Bell ø 420 mm. Bore ø 21.2 mm (.835"). Minibal joints. Nickel silver leadpipe. Water key on tuning slide. Nickel silver valves and outer slides.			
516 317	Lacquered gold brass, Medium GM leadpipe		8.707,00
516 318	Lacquered gold brass, Large NS leadpipe		8.707,00
Bb Tuba LBB 884-4Z – Moldau de Luxe –			
Same as model LBB 684-4, but with mit gold brass bell ø 450 mm (17.7"). Nickel silver bell rim. Trigger on 2 nd valve. Deluxe engraving. Weight: 8.6 kg.			
516 319	Gold brass bell, lacquered, Large NS leadpipe		8.499,00
B-Tuba LBB 884-51GR			
Construction like model LBB 884-4GR but with 5 rotary valves (5+0) and 2 exchangeable slides for 5 th valve ($\frac{3}{4}$ and $1\frac{1}{4}$ tone length).			
516 321			11.206,00
Bb Tuba LBB 686-4			
Size $\frac{3}{4}$ L, 4 rotary valves, bell ø 450 mm (17.7"), bore ø 2.2 mm (.835"), Minibal joints, nickel silver lead pipe, trigger on 2 nd valve, water key on tuning slide, nickel silver valves and outer slides, gigbag.			
516 320	Lacquered yellow brass		7.872,00
Bb Tuba LBB 686-4R			
Size $\frac{3}{4}$ L, 4 rotary valves, bell ø 450 mm (17.7"), bore ø 2.2 mm (.835"), Minibal joints, nickel silver lead pipe, trigger on 2 nd valve, water key on tuning slide, nickel silver valves, outer slides and bell rim, gigbag.			
516 330	Lacquered yellow brass		8.259,00
Bb Tuba LBB 686-5			
Construction like models LBB 686-4/786-4, but with 5 rotary valves [4R+1L 5 th valve left hand], and with 2 exchangeable slides for 5 th valve ($\frac{3}{4}$ and $1\frac{1}{4}$ tone length), gigbag.			
516 340	Lacquered yellow brass		9.515,00
516 345	Lacquered yellow brass, nickel silver bell rim		9.781,00
Bb Tuba LBB 686-5RZ			
Construction like models LBB 686-4/786-4, but with 5 rotary valves [4R+1L 5 th valve left hand], and with 2 exchangeable slides for 5 th valve ($\frac{3}{4}$ and $1\frac{1}{4}$ tone length), gigbag.			
516 350	Lacquered yellow brass/gold brass bell, nickel silver bell rim		10.165,00
Bb Tuba LBB 786-4R			
Size $\frac{3}{4}$ L, 4 rotary valves, bell ø 450 mm (17.7"), bore ø 2.2 mm (.835"), Minibal joints, nickel silver lead pipe, trigger on 2 nd valve, water key on tuning slide, nickel silver valves, outer slides and bell rim, gigbag.			
516 360	Lacquered gold brass		9.003,00

All prices are recommended retail prices including 19% VAT. Errors and omissions excepted.

CTUBAS

IC Tuba LCB 684-5I – Moldau –

Size $\frac{1}{4}$. 5 rotary valves [5+0 5th valve right hand]. Bell \varnothing 420 mm. Bore \varnothing 21.2 mm. Height 920 mm. Adjustable thumbing. Minibal joints. Water key on tuning slide. Nickel silver valves and leadpipe. 2 exchangeable slides for 5th valve ($\frac{3}{4}$ and $1\frac{1}{4}$ tone length). Weight 8.3 kg.

517 010 Lacquered yellow brass 8.203,00

CTuba LCB 884-5IGR – Moldau de Luxe –

Size $\frac{1}{4}$. 5 rotary valves [5+0 5th valve right hand]. gold brass bell \varnothing Bell \varnothing 450 mm. Bore \varnothing 21.2 mm. Height 920 mm. Adjustable thumbing. Minibal joints. Water key on tuning slide. Nickel silver valves and leadpipe. 2 exchangeable slides for 5th valve ($\frac{3}{4}$ and $1\frac{1}{4}$ tone length). Weight 8.4 kg.

517 020 Lacquered yellow brass, goldbrass bell 10.342,00

CTuba LCB 883-5IR

Size $\frac{3}{4}$ – compact construction. 5 rotary valves [5+0 5th valve right hand]. Bell \varnothing 400 mm. Bore \varnothing 20.2 mm. Height 810 mm. Minibal joints. Nickel silver leadpipe. Trigger on 2nd valve. Water key on tuning slide. Nickel silver valves and outer slides. 2 exchangeable slides for 5th valve ($\frac{3}{4}$ and $1\frac{1}{4}$ tone length). Weight 8.6 kg.

517 310 Lacquered yellow brass, goldbrass bell 9.312,00

FTUBAS

F Tuba LFB 651-4

Size $\frac{1}{4}$, 4 rotary valves, bell \varnothing 400 mm (15.75"), bore \varnothing 18.2 mm (.717"), Minibal joints, nickel silver lead pipe, water key on tuning slide, nickel silver valves and outer slides, gigbag.

516 480 Lacquered yellow brass 5.653,00

F Tuba LFB 651-5GR

Size $\frac{1}{4}$, 5 rotary valves, [4R+1L], bell \varnothing 400 mm (15.75"), bore \varnothing 18.2 – 19.2 mm (.717 – .756"), Minibal joints, gold brass lead pipe, trigger on 2nd valve slide, water key on tuning slide, nickel silver valves and outer slides, gigbag.

516 490 Lacquered yellow brass 8.698,00

F Tuba LFB 651-5IGR

Size $\frac{1}{4}$, 5 rotary valves, [5RL, 5th valve on thumb], bell \varnothing 400 mm (15.75"), bore \varnothing 18.2 – 19.2 mm (.717 – .756"), Minibal joints, gold brass lead pipe, trigger on 2nd valve slide, water key on tuning slide, nickel silver valves and outer slides, gigbag.

516 500 Lacquered yellow brass 8.698,00

F Tuba LFB 851-6GZ

Size $\frac{1}{4}$, 6 rotary valves [4R+2L], bell \varnothing 400 mm (15.75"), bore \varnothing 19.2 mm (.756"), Minibal joints, gold brass lead pipe, trigger on 2nd valve slide, water key on tuning slide, nickel silver valves and outer slides, gigbag.

516 510 Lacq. yellow brass/gold brass bell 10.251,00

F Tuba LFB 653-4

Size $\frac{3}{4}$ – compact construction, 4 rotary valves, bell \varnothing 400 mm (15.75"), bore \varnothing 18.2 – 19.2 mm (.717 – .756"), Minibal joints, lacquered yellow brass, nickel silver lead pipe, water key on tuning slide, nickel silver valves and outer slides, gigbag.

516 520 Lacquered yellow brass 5.795,00

F Tuba LFB 653-5

Size $\frac{3}{4}$ – compact construction, 5 rotary valves [4R+1L], bell \varnothing 400 mm (15.75"), bore \varnothing 18.2 – 19.2 mm (.717 – .756"), Minibal joints, lacquered yellow brass, nickel silver lead pipe, trimmer on 2nd valve slide, water key on tuning slide, nickel silver valves and outer slides, gigbag.

516 530 Lacquered yellow brass 7.483,00

F Tuba LFB 653-5I

Size $\frac{3}{4}$ – compact construction, 5 rotary valves [5R+0L, 5th valve on thumb], bell \varnothing 400 mm (15.75"), bore \varnothing 18.2 – 19.2 mm (.717 – .756"), Minibal joints, lacquered yellow brass, nickel silver lead pipe, trimmer on 2nd valve slide, water key on tuning slide, nickel silver valves and outer slides, gigbag.

516 540 Lacquered yellow brass 7.483,00

F Tuba LFB 753-5R

Size $\frac{3}{4}$ – compact construction, 5 rotary valves [4R+1L], bell \varnothing 400 mm (15.75"), bore \varnothing 18.2 – 19.2 mm (.717 – .756"), Minibal joints, nickel silver lead pipe, trimmer on 2nd valve slide, water key on tuning slide, nickel silver valves, outer slides and bell rim, gigbag.

516 550 Lacquered gold brass 8.074,00

F Tuba LFB 753-5IR

Size $\frac{3}{4}$ – compact construction, 5 rotary valves [5R+0L, 5th valve on thumb], bell \varnothing 400 mm (15.75"), bore \varnothing 18.2 – 19.2 mm (.717 – .756"), Minibal joints, nickel silver lead pipe, trimmer on 2nd valve slide, water key on tuning slide, nickel silver valves, outer slides and bell rim, gigbag.

516 560 Lacquered gold brass 8.074,00

F Tuba LFB 753-6R

Size $\frac{3}{4}$ – compact construction, 6 rotary valves [4R+2L], bell \varnothing 400 mm (15.75"), bore \varnothing 18.2 – 19.2 mm (.717 – .756"), Minibal joints, nickel silver lead pipe, water key on tuning slide, nickel silver valves, outer slides and bell rim, gigbag.

516 570 Lacquered gold brass 8.370,00

F Tuba LFB 654-5IM – Moldau –

Size $\frac{1}{4}$. 5 rotary valves (5+0 5th valve before 1st valve 19,2 mm). Bell \varnothing 400 mm. Rising bore 19,2 mm – 21,2 mm. Minibal joints. Yellow brass. Gold brass lead pipe. Trigger on 2nd valve slide. Height 91 cm. Weight 7.15 kg.

516 630 Lacquered 9.395,00

F Tuba LFB 654-5IMR – Moldau –

Size $\frac{1}{4}$. 5 rotary valves (5+0 5th valve before 1st valve 19,2 mm). Bell \varnothing 400 mm. Nickel silver bell rim. Rising bore 19,2 mm – 21,2 mm. Minibal joints. Yellow brass. Gold brass lead pipe. Trigger on 2nd valve slide. Height 91 cm. Weight 7.15 kg.

516 632 Lacquered 9.712,00

F Tuba LFB 654-5IL – Moldau –

Size $\frac{1}{4}$. 5 rotary valves (5+0 5th valve after 4th valve 21,2 mm). Bell \varnothing 400 mm. Rising bore 20,2 mm – 21,2 mm. Minibal joints. Yellow brass. Gold brass lead pipe. Trigger on 2nd valve slide. Height 91 cm. Weight 7.15 kg.

516 635 Lacquered 9.395,00

F Tuba LFB 654-5ILR – Moldau –

Size $\frac{1}{4}$. 5 rotary valves (5+0 5th valve after 4th valve 21,2 mm). Bell \varnothing 400 mm. Nickel silver bell rim. Rising bore 20,2 mm – 21,2 mm. Minibal joints. Yellow brass. Gold brass lead pipe. Trigger on 2nd valve slide. Height 91 cm. Weight 7.15 kg.

516 637 Lacquered 9.712,00

F Tuba LFB 754-5IM – Moldau de Luxe –

Size $\frac{1}{4}$. 5 rotary valves (5+0 5th valve before 1st valve 19,2 mm). Bell \varnothing 400 mm. Nickel silver bell rim. Rising bore 19,2 mm – 21,2 mm. Minibal joints. Gold brass body. Nickel silver lead pipe. Trigger on 2nd valve slide. Height 91 cm. Weight 7.15 kg.

516 640 Lacquered 10.822,00

F Tuba LFB 754-5IL – Moldau de Luxe –

Size $\frac{1}{4}$. 5 rotary valves (5+0 5th valve after 4th valve 21,2 mm). Bell \varnothing 400 mm. Nickel silver bell rim. Rising bore 20,2 mm – 21,2 mm. Minibal joints. Gold brass body. Nickel silver lead pipe. Trigger on 2nd valve slide. Height 91 cm. Weight 7.15 kg.

516 645 Lacquered 10.822,00

F Tuba LFB 854-5IGR – Moldau de Luxe –

Size $\frac{1}{4}$. 5 rotary valves (5+0 5th valve after 4th valve 21,2 mm). Gold brass bell \varnothing 420 mm. Rising bore 20,2 mm – 21,2 mm. Minibal joints. Gold brass body. Nickel silver lead pipe. Deluxe hand engraving on bell, valve covers & levers. Trigger on 2nd valve slide. Height 91 cm. Weight 7.15 kg.

516 650 Lacquered 10.845,00